


Mutina

DIN
by Konstantin Grcic





DIN: Rose Matt, Red Glossy, Red Matt
in different sizes, including special pieces.

Colors

8 COLORS
2 FINISHES



White Matt



White Glossy




Light Green Matt



Light Green Glossy




Black Matt




Black Glossy



Dark Green Matt



Dark Green Glossy




Light Blue Matt



Light Blue Glossy



Rose Matt




Rose Glossy




Dark Blue Matt



Dark Blue Glossy




Red Matt



Red Glossy

General information

| | |
|---------------|--|
| collection | DIN |
| design | Konstantin Grcic, 2021 |
| production | Industrial |
| material | Glazed pressed body |
| thickness | 9 mm |
| nominal sizes | 15·15 cm (6"-6") – 7,4·15 cm (3"-6") – 7,4·7,4 cm (3"-3") – 3,6·7,4 cm (1,5"-3") |
| specification | – 8 colors: White, Black, Light Blue, Dark Blue, Light Green, Dark Green, Rose, Red – 2 finishes: Matt and Glossy – The Elements in sizes 7,4x7,4 cm and 3,6 x 7,4 cm are both sold on net 30,2x30,2 cm (12"-12")* |
| category | Bib UNI EN 14411 (GL) |



15·15 cm
6"-6"




7,4·15 cm
3"-6"




7,4·7,4 cm*
3"-3"



3,6·7,4 cm*
1,5"-3"



net
30,2·30,2 cm
12"-12"



net
30,2·30,2 cm
12"-12"

Laying and maintenance tips

| | |
|-------------------------------------|---|
| use | Floor, wall – indoor |
| installation | Lay on perfectly flat, dry walls. |
| recommended adhesive | Non-rapid-drying adhesive for porcelain stoneware to make it easier to fix the sheets. |
| recommended joints | 2mm. Place the sheets with the same joint as within the sheet. |
| recommended fillers | CEMENT-BASED GROUT: Grout 0.5 m ² at a time and wash thoroughly with clean water. Remove all traces of grout carefully before it dries completely. EPOXY GROUT: Grout 0.5 m ² at a time and wash thoroughly with clean water. Remove all traces of grout carefully before it dries completely. |
| cleaning at the end of installation | CEMENT-BASED GROUT: Buffered acid (e.g. DETERDEK PRO by FILA or similar). Wet the floor with water, dilute the product 1:5 with water and pour it on the floor. Wait for 2-3 minutes then use a white scotch brite pad and rinse well with clean water. EPOXY GROUT: Alkaline detergent (e.g. FILA CR10 by FILA). FILA CR10: apply pure, wait for 30 minutes then use a green scotch brite pad. SILICONE: Solvent for silicone e.g. FILA ZERO SIL. Put it straight onto the stain, wait for 20 minutes and remove the mark using scotch brite. PAINT: Can usually be removed using water, but if resin-based paints or particular enamels have been used, it is best to ask the manufacturer which solvent is most suitable. RUST: stain remover es. FILA NO RUST. Apply the product onto the stain, leave for 15 minutes, remove the residue and rinse thoroughly. |
| general cleaning (installed tiles) | You are recommended to use ordinary neutral detergent diluted in water. Avoid using acid or alkaline products, waxes and/or impregnants. During ordinary cleaning it is recommended to use extremely abrasive items (such as scourers and iron or steel sponges) as little as possible. This recommendation must be adhered to rigorously in the case of tiles with a glossy surface finishing as they are more susceptible to the risk of scuffs, scratches and loss of shine, etc. In the event of heavy dirt or particularly textured surfaces, use an alkaline detergent and rinse after washing. For large surfaces, the use of a floor washing machine is recommended. During every-day cleaning procedures, it is necessary to remember that certain types of dirt (dust, sand) increase the abrasive effect of foot-traffic. Therefore we recommend that you avoid bringing in this type of dirt, which comes in from the outside, by placing a door-mat at the entrance. |
| calibers (real size) | 151x151 mm with 1 mm tolerance 74,5x151 mm with 1 mm tolerance 74,5x74,5 mm on nets 304x304 mm with 1 mm tolerance 36,25x36,25 mm on nets 304x304 with 1 mm tolerance |

Special Pieces

| | |
|---------------|--|
| collection | DIN |
| design | Konstantin Grcic, 2021 |
| production | Industrial |
| material | Glazed pressed body |
| thickness | 9 mm |
| nominal sizes | (A) 3,8x3,8x3,8 cm – (B) 4,5x4,5x4,5 cm – (C) 7,4x7,4x3,8 cm (D) 7,4x7,4x4,5 cm – (E) 3,8x3,8x15 cm – (F) 4,5x4,5x15 cm |
| specification | All the special pieces are available in all colors and finishes. |

